

10/817079

Listing of Claims

## Listing of claims:

Claim 1 (previously amended): A cam follower having a substantially cylindrical form, with a cam engaging surface to a base of the substantially cylindrical form and a pushrod engaging surface to the other end, the cam follower being hollow and characterised in that the substantially cylindrical form tapers toward the pushrod engaging surface such that the portion of the cam follower bearing the pushrod engaging surface is substantially conical and substantially hollow.

Claim 2 (original): The cam follower of claim 1, wherein the portion of the cam follower bearing the pushrod engaging surface comprises a frustro conical shape.

Claim 3 (original): The cam follower of claim 1, wherein the length of the tapering portion bearing the pushrod engaging surface is greater than 10% of the length of the cylindrical portion bearing the cam engaging surface.

Claim 4 (original): The cam follower of claim 1, wherein the length of the tapering portion bearing the pushrod engaging surface is greater than 30% of the length of the cylindrical portion bearing the cam engaging surface.

Claim 5 (original): The cam follower of claim 1, wherein the length of the tapering portion bearing the pushrod engaging surface is greater than 50% of the length of the cylindrical portion bearing the cam engaging surface.

10/817079

Claim 6 (original): The cam follower of claim 1, wherein the length of the tapering portion bearing the pushrod engaging surface is between 60 and 75% of the length of the cylindrical portion bearing the cam engaging surface.

Claim 7 (original): The cam follower of claim 1, wherein the length of the tapering portion bearing the pushrod engaging surface is between 65 and 70% of the length of the cylindrical portion bearing the cam engaging surface.

Claim 8 (original): The cam follower of claim 1, wherein the length of the tapering portion bearing the pushrod engaging surface is approximately 68% of the length of the cylindrical portion bearing the cam engaging surface.

Claim 9 (original): The cam follower of claim 1, wherein the dimension of the diameter of the cylindrical base is between 25 and 35% of the length of the cylindrical portion bearing the cam engaging surface.

Claim 10 (original): The cam follower of claim 1, wherein the angle subtended between a tangential plane through the wall of the cylindrical portion and a corresponding plane through the wall of the tapering portion is between 10 and 30 degrees.

Claim 11 (original): The cam follower of claim 1, wherein the angle subtended between a tangential plane through the wall of the cylindrical portion and a corresponding plane through the wall of the tapering portion is between 15 and 25 degrees.

Claim 12 (original): The cam follower of claim 1, wherein the angle subtended by a tangential plane through the wall of the cylindrical portion and a corresponding plane through the wall of the tapering portion is 15 degrees plus or minus 2 degrees.

10/817079

Claim 13 (original): The cam follower of claim 1, wherein the cam engaging surface is substantially flat or spherical.

Claim 14 (original): The cam follower of claim 1, wherein the cam engaging surface comprises a roller.

Claim 15 (original): The cam follower of claim 1, wherein the pushrod engaging surface comprises a cup.

Claim 16 (original): The cam follower of claim 1, wherein the pushrod engaging surface comprises a ball.

Claim 17 (original): A valve train comprising a cam follower according to claim 1 .

Claim 18 (original): An engine comprising a cam follower according to claim 1.

Claim 19 (original): A land, sea or air vehicle comprising an engine according to claim 18.